

# Oriental

TURKISH KITCHEN APPLIANCES



# Oriental

TURKISH KITCHEN APPLIANCES




HOOD

**03**



DISHWASHER

**07**



HOB

**08**




MICROWAVE OVEN

**12**



OVEN

**15**



REFRIGERATOR

**18**



## Inclined Design for Better Performance

### Oriental - Hood

Inclined Design for Better Performance

#### EWH39DS (90cm)

Material Body	SS + Black Tempered Glass
Type	Wall Mounted
Total Power	184 W
Voltage & Frequency	220 - 240 V / 50 - 60 Hz
Fan Speed	3
Switch Control	Circle Ring Touch Control
Lamp Type & Power	LED, 1x4W
Filter	Patented S.S Mesh Filter
Fan Type	Metal Fan with Teflon Finish
Motor Type	Full Sealed Metal AC Motor
Reticulation	Yes

#### Performance

Max Air Flow	1600 m <sup>3</sup> /hr
Noise level High Speed	53 db

#### Approval

CE, G-Mark, VDE

### Lifetime Motor Warranty

The most powerful  
Range Hood series in the world

Oriental - Hood Range



## Oriental - Hood

**Bold Design & Broader Look**

### EWH96D (90cm)

Material Body	SS + Black Tempered Glass
Type	Wall Mounted
Total Power	234 W
Voltage & Frequency	220 - 240 V / 50 Hz
Fan Speed	3
Switch Control	Sensor Touch Control
Lamp Type & Power	LED, 1x4W
Filter	Patented S.S Mesh Filter
Fan Type	Metal Fan with Teflon Finish
Motor Type	Full Sealed Metal AC Motor
Reticulation	Yes

### **Performance**

Max Air Flow	1600 m <sup>3</sup> /hr
Noise level High Speed	54 db

### **Approval**

CE, G-Mark, VDE

04 [www.orientalglobal.com.tr](http://www.orientalglobal.com.tr)

**Bold Design &  
Broader Look**





Oriental - Hood Range



## Oriental - Hood

New Look with Power Efficiency

### EWH85B (90cm)

Material Body	SS + Black Tempered Glass
Type	Wall Mounted
Total Power	184 W
Voltage & Frequency	220 - 240 V / 50 Hz
Fan Speed	3
Switch Control	Sensor Touch Control
Lamp Type & Power	LED, 1x4W
Filter	Patented S.S Mesh Filter
Fan Type	Metal Fan with Teflon Finish
Motor Type	Full Sealed Metal AC Motor
Reticulation	Yes

### Performance

Max Air Flow	1600 m3/hr
Noise level High Speed	53 db

### Approval

CE, G-Mark, VDE



## Oriental - Hood Range



## Oriental - Hood

Clam and Swif Extractor

### EWH22T (90cm)

Material Body	SS + Black Tempered Glass
Type	Wall Mounted
Total Power	204 W
Voitage & Frequency	220 - 240 V / 50 - 60 Hz
Fan Speed	3
Switch Control	Sensor Touch Control
Lamp Type & Power	LED, 1x4W
Filter	Patented, S.S, Mesh Filter
Fan Type	Metal Fan with Teflon Finish
Motor Type	Full Sealed Metal AC Motor
Reticulation	Yes

### Performance

Max Air Flow	1500 m3/hr
Noise level High Speed	53 db

### Approval

CE, G-Mark, VDE

06 [www.orientalglobal.com.tr](http://www.orientalglobal.com.tr)



## Oriental - Hood

Space Saving Design For Small Kitchens

### WT0960AF18D (60cm)

Material	Tempered Glass/Coated SPCC
Type	Wall Mounted
Total Power	204 W
Voltage & Frequency	220 - 240 V / 50 - 60 Hz
Fan Speed	3
Switch control	Sensor Touch Control
Lamp type & Power	LED, 2x2W
Filter	Patented S.S Mesh Filter
Dimension of Outlet Adapter	150 mm

### Performance

Max Air Flow	700 m3/hr
Noise level High Speed	68 db

### Approval

CE, CB, SAA

## Oriental - Dishwasher



### General Features

#### 30 mins Rapid wash

Standard Place Settings  
Energy Efficiency Class  
Energy Consumption of the Standard Cleaning Cycle  
Water Consumption Per Cleaning Cycle  
Drying Efficiency Class  
Standard Cleaning Cycle  
Noise Level

14  
A+++  
0.83 kWh  
10 Liters  
A  
ECO 45 C  
44 dB

**Lifetime Motor Warranty**


**Dual mounting capability**

**Free Standing & Built-in**

Oriental - Hob Range

## Oriental - Gas Hobs

EWPF39G (90 CM)



Total Burners	3
Burner Power	2 x WOK Burner 4.0 kw 1 x Semi-Rapid Burner 1.75 Kw
Location of control panel :	Hob front
Basic surface material :	Hard Glass
Color of surface :	Black Tempered Glass
Current	5A
Voltage	220-240 V
Frequency	50 ~ 60 Hz
Gas type :	NG,LPG
Plug type :	With plug

**More Burn Power with  
Blue Flame**


**Highest rated BRASS CAP Burner  
with Spanish protection device**



## Oriental - Gas Hobs

**S38615 (90 CM)**

Construction type :	Built-in
Total Burners	3
Burner Power	2 x WOK Burner 5.0 kw 1 x Semi-Rapid Burner 1.75 Kw
Location of control panel :	Hob front
Basic surface material :	Hard Glass
Color of surface :	Black Tempered Glass
Length electrical supply cord	150 cm
Gas connection rating	11750 W
Current	5A
Voltage	220-240 V
Frequency	50 ~ 60 Hz
Gas type :	NG,LPG



## Oriental - Gas Hobs

**EWPF39S (60 CM)**

Total Burners	3
Burner Power	2 x WOK Burner 4.0 kw 1 x Semi-Rapid Burner 1.75 Kw
Location of control panel :	Hob front
Basic surface material :	Stainless Steel
Color of surface :	Stainless Steel
Current	5A
Voltage	220-240 V
Frequency	50 ~ 60 Hz
Gas type :	NG,LPG
Plug type :	With plug



Oriental - Hob Range



World Top Quality Italian  
Sabaf Burner with Blue Flame

Most Reliable Spanish  
Flame Failure Device

## Oriental - BBQ GRILL

### HA0GRS000FXS

Construction Type	Built-in
Burner Type	Electric Flame Pressure
Burner Power	Front Left: Triple Ring (3.35 kW) Rear Left: Semi rapid (1.75 kW) Front Right: Auxiliary (1.0 kW) Rear Right: Rapid (2.80 kW)
Location of Control Panel	Front
Main Colour of Product	Stainless steel
Basic Surface Material	Stainless steel
Color of Surface	Stainless steel
Color of Frame	Stainless steel
Protection	Flame Failure Device
Thermostat	Integrated Over Heating Cut off System



## Oriental - Fryer

### HA0FRS000FXS

Construction Type	Built-in
Burner Type	Electric Flame Pressure
Burner Power	Position Element Max Power (2.3 kW)
Location of Control Panel	Front
Main Colour of Product	Stainless steel
Basic Surface Material	Stainless steel
Color of Surface	Stainless steel
Color of Frame	Stainless steel
Protection	Flame Failure Device
Thermostat	Integrated (Oil Temp. Controller) Over Heating Cut off System





## Oriental - Electric & Gas Hobs

A combination of GAS Burner and Hot Plate gives you unstoppable Cooking

### HBA60W450D (60 CM)

Total Burners	4
Burner Power	1 x WOK Burner 3.5 kw 1 x Semi-Rapid Burner 1.75 Kw, 1 x Auxilliary burner 1.0kW, 1x Electric burner 1.0kW
Location of control panel	Hob front
Basic surface material	Hard Glass
Color of surface	Black Tempered Glass
Current	5A
Voltage	220-240 V
Frequency	50 ~ 60 Hz
Gas type	NG,LPG
Plug type	With plug



## Oriental - HOB

### EWPF29S (30 CM)

Construction Type	Built-in
Burner Type	SABAF BURNER ITALY
Total Burners	2
Burner Power	1 x Rapid Burner 2.80 kw 1 x Auilliary Burner 1.00 Kw
Location of Control Panel	Hob Front
Main Colour of Product	Stainless steel
Basic Surface Material	Stainless steel
Color of Surface	Stainless steel
Color of Frame	Stainless steel
Protection	Flame Failure Device



# Oriental - Cooking Range

**9060TMS**



## General Features

## Control Method

Top Plate Configuration	5 Gas (1 Wok)
Hob Safety	Yes
Oven Safety	Yes
Oven Control	1 Knob
Thermostate	Yes
Rapid Burner	2.9 Kw
Semi Rapid Burner	1.7 Kw
Auxiliary	0.95 Kw
Wok Burner	3.5 Kw
Pan Support Type	Extra Thick Matt Grid
Wok Burner Adaptor	Yes
Lamp + Ignition	Lamp + Button Ignition For Hob and oven
Turnspit	Yes
Timer	Yes
Deep Tray	Yes
Round Tray	Yes
Inner Grid	Yes





# Oriental - Microwave

Built-in Microwave Oven, Grill + Convection

**TC034A (34 Ltrs)**



This Dual Function – Warm & Grill model makes it more convenient and easy to choose from auto menu available recipies. Multistage cooking program and qualifies it to the next level cooking options.

## General Features

### Control Method

Auto Menu	10	Defrost by Time	Yes
Clock	Yes	Add 30sec	Yes
Kitchen Timer	Yes	Cooking End Signal	Yes
Multistage Cooking	Yes	Permatron Protection	Yes
Defrost by Weight	Yes	Child Safety Lock	Yes



# Oriental - Microwave

Built-in Microwave Oven & Grill

TG925E (25 Ltrs)



The smart touch opening and elegant design conforms to modern kitchen spaces. Auto menu and multistage cooking programs are designed for convenience

## General Features

### Control Method

Auto Menu	8
Clock	Yes
Kitchen Timer	Yes
Multistage Cooking	Yes
Defrost by Weight	Yes





## Oriental - Built-in-ovens

### 65M90E1 (70 Ltrs)



The multi-temperatural zone with its 70 Ltrs cavity size, falls under the most energy efficient and eco friendly provides a perfect mix for professional cooking.

### General Features

Source	Electrical
Cavity size	70 Ltrs
Voltage	220-240 volts
Energy Efficiency Rate	A
Certification	GS/CE
Cavity Size (WxDxH)	460 x 420 x 350 mm
Oven Size (WxDxH)	595 x 575 x 595 mm
Pakaging Size (WxDxH)	648 x 688 x 670 mm

### Functions

Temperature range	50/250 °C
Timer	9 hours
Lamp	Yes
Defrosting	Yes
Bottom Heat	Yes
Conventional	Yes
Conventional+Fan	Yes
Radiant Grilling	Yes
Double Grilling	Yes
Double Grilling + Fan	Yes
Convection	Yes
Electronic Child Lock	Yes



# Oriental - Oven

**60AFCPDT (80 Ltrs)**



## Control panel

Display	LED
Controller	Multi Function
Control Panel Color	Black Glass
Control Type	Electronic Thermostate

**Steam Cleaning**

## General Features

Source	Electrical
Cavity size	80 Ltrs
Voltage	220-240 volts
Energy Efficiency Rate	A
Oven Size (WxDxH)	595 x 565 x 595 mm
Pakaging Size (WxDxH)	620 x 640 x 650 mm

## Functions

ON/OFF	Yes
Lamp	Yes
Top + Bottom Heat	Yes
Steam Cleaning	Yes
Top Heat	Yes
High Grill	Yes
High Grill + Fan	Yes
Top + Bottom Heat + Fan	Yes
Ring Heat + Fan	Yes
Fan - Defrost	Yes
Cooling Fan	Yes





# Oriental - Oven

**B 6515 PERSP (80 Ltrs)**



## Control panel

Display	LED
Controller	Full Touch
Control Panel Color	Black Glass

**Steam Cleaning**

**Baking With  
Pizza Stone**

## General Features

Source	Electrical
Cavity size	80 Ltrs
Voltage	220-240 volts
Energy Efficiency Rate	A
Oven Size (WxDxH)	595 x 565 x 595 mm
Pakaging Size (WxDxH)	620 x 640 x 650 mm

## Functions

Lamp	Yes
Bottom + Lamp	Yes
Fan + Lamp	Yes
Top Bottom + Lamp	Yes
Top Bottom + Fan + Lamp	Yes
Ring + Fan + Lamp	Yes
Ring Bottom + Fan + Lamp	Yes
Grill + Lamp	Yes
Grill + Top + Lamp	Yes
Grill + Top + Fan + Lamp	Yes
Grill + Fan + Lamp	Yes
Ring Top + Fan + Lamp	Yes
Grill + Fan + Turnspit + Lamp	Yes
Grill + Top + Turnspit + Lamp	Yes
Grill + Top + Turnspit + Fan + Lamp	Yes
Cooling Fan	Yes
Steam Cleaning	Yes

Oriental - Oven Range



# Oriental - Refrigerator

510 Ltrs Side By Side Refrigerator without Dispenser

## EWO-2328TR

The spacious compartment allows more food to store and fulfils the need of large family. The Electronic Temperature Control and Automatic Defrosting qualifies it to a more convenient and smart choice.

Super cooling function	Yes
Spill-proof shelf	Yes
High temp alarm	Yes
Child lock	Yes
vacation mode	Yes

## Performance

Climate Class	T
Energy Class	A+

Oriental  
**12** YEAR  
COMPRESSOR  
WARRANTY

Oriental - Refrigerator Range



12 YEAR/S  
COMPRESSOR  
WARRANTY



SUPER  
FREEZING



MULTI-AIR FLOW



INFINITE  
INVERTER

**Energy Saver**  
Saves upto **55%**

## Oriental - Refrigerator

493 Ltrs Side By Side Refrigerator with Dispenser

### OTR-493TR

It's smart and premium design with Electronic Temperature Control and Automatic Defrosting makes it a perfect choice for keeping the food more Fresh and Hygenic. You can get ice cubes and drink fresh chilled water at the touch of a button.

Super cooling function	Yes
Spill-proof shelf	Yes
High temp alarm	Yes
Child lock	Yes
vacation mode	Yes

### Performance

Climate Class	T
Energy Class	A++



**12 YEAR/S  
COMPRESSOR  
WARRANTY**



**BUILT-IN  
WATER DISPENSER**



**DIGITAL  
CONTROL**



**SUPER  
FREEZING**




**MULTI-AIR FLOW**



**INFINITE  
INVERTER**

# Oriental


TURKISH KITCHEN APPLIANCES




HOOD



DISHWASHER



HOB



MICROWAVE OVEN



OVEN



REFRIGERATOR

## Head Office:

+90 212 9825 729  
info@orientalglobal.com.tr  
www.orientalglobal.com.tr  
Mall of Istanbul, The Office No. 7 E iC,  
KAPI No 136, Basaksehir,  
Istanbul Turkey

## Country Office:

+92 51 570 9482  
+92 333 199 9567  
info@orientalglobal.com.tr  
www.orientalglobal.com.tr  
Pindi Plaza, Opt. DHA Gate II  
G.T. Road, Islamabad.

## Showroom-Bahria Enclave:

+92 51 540 2204  
info@orientalglobal.com.tr  
www.orientalglobal.com.tr  
Easternwood Plaza, Kuri Road,  
Opposite Masjid Abu Bakkar  
Saddique. Bahira Enclave

## Showroom-Blue Area:

+92 51 281 4116 / +92 51 212 0444  
info@orientalglobal.com.tr  
www.orientalglobal.com.tr  
showroom No. 13,14 Ground  
Floor, AA Plaza, 70-E Jinnah  
Avenue, Blue Area, Islamabad.